Date: 21-9-2022

PROFORMA REGARDING SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

No.

It is certified that an inspecti	on team headed by	Mr	10. Saural	ah Sirg	gh
(Name of officers with desig	nation) from Comm	nunity H	lealth Centre	, Amethi (N	lame
of Department/Office) inspe	cted the RAJARSHI	RANAN	IJAY SINH GL	OBAL SCHO	OL,
Opp RRS College of Pharma	cy , Maharaja Bhag	gwan Ba	ksh Sinh Nag	gar, Amethi,	UP.
227405 (Name & Address of	of the School) on	21-6	-2022	and found	that
school is thoroughly neat and	clean. School are u	ising pho	enyl and blea	ching powde	er in
each and every corner of s	chool, there are sa	afe drin	king water f	acilities for	the
students and member of sta	ff of the RAJARSH	I RANAN	NJAY SINH GI	OBAL SCHO	OL,
AMETHI (Name of school) and	d is maintaining the	hygien	ic sanitation	condition in	the
school building & the campu	as per the norms	prescrib	bed by the C	entre/State/	'U.T
Govt.			(C)		
			The state of the s		

Signature with Seal:

Name:

The above valid for a period of one year.

a M. M. Amethi

Designation:

Distl-Amothi

To Rajarshi Rananjay Sinh Wobal School

Oppi - RRS College of Phonymacy, Mahoraja Bheyunn Bakoh Sinh Nagen, Anothis-227405

(Name & Address of the Institution)

अधीक्षक सामुदायिक स्वास्थ्य केंद्र अमेठी द्वारा

दिनांक : <u>21-9-2022</u>

आज दिनांक <u>2)-9-2022</u> को राजर्षि रणंजय सिंह ग्लोबल स्कूल अमेठी (RAJARSHI RANANJAY SINH GLOBAL SCHOOL, AMETHI) के प्रांगण का निरीक्षण, स्वास्थ्य विभाग के निरीक्षण टीम द्वारा किया गया।

निरीक्षणोपरांत पाया गया कि स्कूल पूर्ण रूप से साफ़ सुथरा है। भवन के समस्त कोनों में दवाओं का छिड़काव किया जाता है, तथा शौचालय एवं मूत्रालय में फिनायल एवं ब्लीचिंग पाउडर का प्रयोग किया जाता है।

बच्चों को पीने हेतु जो जल की व्यवस्था की गयी है , उसमे R.O. का प्रयोग किया जाता है।

Molic Manathi